PHILADELPHIA COMMERCIAL

RESILIENT COLLECTION

IN THE GRAIN II

English Grey 05012

Oakwood 07007



Ember 05016

Cotton Seed 07004

English Grey 05012

Oakwood 07007

Ember 05016

Cotton Seed 07004

In the Grain II 30

PHILADELPHIA COMMERCIAL

Style Name	In the Grain II 30
Style Number	5536V
Construction	Performance Luxury Vinyl Tile
Class / ASTM F1700	Class III Printed Film Vinyl Tile, Type B (embossed)
Finish	ExoGuard+

	U.S.	Metric
Nominal Dimensions	6 in w, 48 in l	15 cm w, 122 cm l
Actual Dimensions	5.96 in w, 48 in l	15.14 cm w, 121.92 cm l
Wear Layer Thickness	30 mil (0.03 in)	0.76 mm
Overall Thickness	0.118 in	3 mm
Installation	Direct Glue	
Recommended / Required Adhesive	Shaw 4100 or S150	

Packaging

Pieces per box	18 pcs	
Area per box	35.76 sq ft	3.32 sq m
Weight per box	38 lbs	17.24 kg

Performance Testing

Static Load (ASTM F970)	Passes (Modified), 1500 PSI
Residual Indentation (ASTM F1914)	Passes
Resistance to Heat (ASTM F1514)	Passes
Resistance to Light (ASTM F1515)	Passes
Resistance to Chemicals (ASTM F925)	Passes
Smoke Density (ASTM E662, Flaming Mode)	Passes
Radiant Panel (ASTM E648)	Passes, Class I

Warranties

Resilient 15 Year Commercial Limited Warranty

Environmental

Indoor Air Quality	FloorScore® Certified